

VIRGINIA ACTS OF ASSEMBLY -- 1994 SESSION

CHAPTER 460

An Act to amend and reenact § 62.1-44.34:17 of the Code of Virginia, relating to aboveground storage tank facilities.

[H 521]

Approved April 8, 1994

Be it enacted by the General Assembly of Virginia:

1. That § 62.1-44.34:17 of the Code of Virginia is amended and reenacted as follows:

§ 62.1-44.34:17. Exemptions.

A. Sections 62.1-44.34:15 and 62.1-44.34:16 do not apply to a facility having a maximum storage or handling capacity of less than 25,000 gallons of oil or to a tank vessel having a maximum storage, handling or transporting capacity of less than 15,000 gallons of oil or to a tank used to contain oil for less than 120 days and only in connection with activities related to the containment and cleanup of oil or to any vessel engaged only in activities within state waters related to the containment and cleanup of oil, including response-related training or drills.

B. Facilities having a maximum storage or handling capacity of between 25,000 gallons and one million gallons of oil shall be exempt until July 1, 1993, from any requirement under § 62.1-44.34:15 to install groundwater monitoring wells or other groundwater protection devices.

C. For purposes of §§ 62.1-44.34:15 and 62.1-44.34:16, the definition of oil does not include nonpetroleum hydrocarbon-based animal and vegetable oils, or petroleum, including crude oil or any fraction thereof, which is specifically listed or designated as a hazardous substance under subparagraphs (A) through (F) of section 101 (14) of the Comprehensive Environmental Response, Compensation, and Liability Act (42 U.S.C. § 9601) and which is subject to the provisions of that Act.

D. For purposes of §§ 62.1-44.34:15.1 and 62.1-44.34:16, and for the purposes of any requirement under § 62.1-44.34:15 to install groundwater monitoring wells, groundwater protection devices, or to conduct groundwater characterization studies, the definition of oil does not include asphalt and asphalt compounds which are not liquid at standard conditions of temperature and pressure (sixty degrees Fahrenheit and 14.7 pounds per square inch absolute).