# 2011 SESSION

**ENROLLED** 

### 1

## VIRGINIA ACTS OF ASSEMBLY - CHAPTER

2 An Act to amend and reenact § 54.1-2409.4 of the Code of Virginia, relating to authority to receive 3 laboratory results directly.

4 5

# Approved

### Be it enacted by the General Assembly of Virginia: 6

#### 1. That § 54.1-2409.4 of the Code of Virginia is amended and reenacted as follows: 7 8

§ 54.1-2409.4. Authority to receive laboratory results directly.

9 A. Any health care practitioner licensed under this title who, within the scope of his practice, orders 10 a laboratory test or other examination of the physical condition of any person shall, if so requested by the patient or his legal guardian, provide a copy of the report of the results to the patient or his legal 11 12 guardian, unless, in the professional opinion of the health care practitioner, there is a medical reason not 13 to do so.

14 B. The health care practitioner, at his sole discretion, may authorize the laboratory to provide a copy 15 of the report of the results directly to the patient or his legal guardian. The patient or his legal guardian shall then be considered authorized to receive the report or result for the purposes of the federal Clinical 16 17 Laboratory Improvement Amendments.

C. Notwithstanding the provisions of this section, a laboratory may, contemporaneously with, or 18 19 subsequent to, when the report is furnished to the ordering health care practitioner, provide a copy of 20 the report of the results directly to the insurance carrier, health maintenance organization, or 21 self-insured plan that provides health insurance or similar coverage to the patient provided such 22 insurance carrier, health maintenance organization, or self-insured plan has received prior authorization 23 from the patient. The insurance carrier, health maintenance organization, or self-insured plan shall then be considered authorized to receive the report or result for the purposes of the federal Clinical 24 25 Laboratory Improvement Amendments.

[S 1116]